




WHOLENESS SUPPORT UNIT (WSU V2) Basic Information



Wholeness Support Unit Version 2 (WSU V2) in use

The four tripods with the mounted frosted white tubes that contain the clear reactor heads within them, set up a Life Force Information Field that is more focused than in a normal environment. The fields also contain qualities and information imparted by the Transition State Elements (TSE) that have been applied to the black coils that you can see inside the reactor heads within their protective tubes. Generally, these TSE fields are resonant with the main elements found in your amino acid structures.



Protective acrylic tubes are not illustrated above

When you sit in the space that exists between the tripods, these information fields will flow to find balance with your own subtle energy fields. In this way they can replenish information that you need. Missing or corrupted information is the underlying cause of most imbalances. Therefore, rejuvenating your subtle life force energy and its associated information fields help's restore your state of balance.



Orynoco WSU V2

[See WSU V2 User Guide](#) 

[See User Experiences](#)

The four tripods are adjustable so that their heights can be set to suit the setting of a bed, chair meditation cushion or other seating/lying arrangement. The reactor heads are attached to the tripods with mounting brackets. The mounting brackets are

adjustable to enable the heads to be tilted for various adjustments of field overlap. These various angles of overlap can produce considerably different results and allow for fine tuning the system to each individual's needs. There is no set formula for determining the angles the reactor heads should be set at. For starting out we do recommend having the heads pointing mostly upwards versus being angled towards you. The energy is less intense this way.



Protective acrylic tubes removed to reveal internal designs

Each reactor head contains four mounted superoxide-coated copper coils. Each coil carries a blend of information fields derived from being further coated with various types of TSE.

Together these build a field strength gradient relative to one another, thereby enabling a dynamic flow of subtle life force energy fields. The reference field set up by all four reactor heads can then respond to the needs of the body or living organism positioned in the space at the centre of the tripods with their reactor heads mounted.

